

Align with NOAA's mission on Climate Adaptation and Mitigation Weather-Ready Nation Healthy Oceans Resilient Coastal Communities and Economies Science Informed Society Safety and Preparedness Future Workforce

IPEMF | Overview GLERUP S

IPEMF Team

- · Brent Lofgren Climatologist
- Eric Anderson Hydrodynamic Modeler
- · Drew Gronewold Hydrologist
- · Jia Wang Ice Climatologist
- Craig Stow Ecosystem Modeler
- · Anne Clites Physical Scientist
- Greg Lang Physical Scientist
- Tim Hunter IT Specialist
- Becky Bolinger, Lisi Pei (UCAR PACE fellow)
- Jam Charusombat (NRC postdoc)
- Ayumi Manome, Dima Beletsky, Raisa Beletsky, Haoguo Hu, Andy Xiao, Heather Lucier, Joeseph Smith, James Kessler (CILER)

2/18

People first, mission always!

This team is highly skilled with diverse backgrounds and research interest, and are experts in their fields!


Brent is going to talk about Climate-land surface modeling (climate adaptation and mitigation)
Eric will cover the hydrodynamic modeling aspect and extreme event (weather ready nation and healthy ocean)
Drew will talk about hydrologic modeling
Craig will cover ecosystem modeling approaches and nutrient loading



IPEMF Goals


- Conduct innovative research and model development on key processes of the Great Lakes
- Transition research/models/tools/knowledge to operations and applications
- Promote internal and external collaborations
- Data management, data sharing and product dissemination

3/18




WRF-Hydro | Weather Research and Forecast Model for Hydrology


GLOFS | Great Lakes Operational Forecast System



NOS | NOAA National Ocean Service LEOFS | Lake Erie Operational Forecast System RTAP | Research Transition Acceleration Program




AHPS - Advanced Hydrologic Prediction System NERFC – Northeast River Forecast Center NYPA - New York Power Authority OPG - Ontario Power Generation



FVCOM | Finite Volume Community Ocean Model is a modeling tool that enables high resolution (30 meters – 2 km) unstructured grid (i.e., triangular shapes of adaptable size) representation of the coastal system; a better approximation of the integral form of the equations of motion; tracking of seasonal lake level fluctuations; inflows and outflows at major connecting channels; expanded coverage to connecting waterways (Straits of Mackinac, St. Clair River, Lake St. Clair,

Detroit River, upper St. Lawrence River).






 Improve understanding of the interactions between the physical, biological, and ecological components of the whole Great Lakes ecosystem


 Develop and implement numerical models (climate, atmosphere, lake circulation, hydrology, wave, ice, and ecology) through improved physics, better forcing, higher spatiotemporal resolution

9/18

Align with NOAA's mission on Climate mitigation Weather-ready Nation Healthy Oceasn Resilent coastal community



Upgrade from 5km grid to 200 m in the coastal and bay areas.
Original Lake Erie has 1600 grid cells, the new Lake Michigan-Huron has more than 130,000 element!



HEC - Huron-Erie Corridor



UW Madison: Meteotsunamis research. Thesis and dissertation research

MTU: Lake Superior long term climate impact and model coupling research


MSU: Climate-land surface interaction study

U Toledo: Bayseian network approach for nutrient loading

Tulane University: NOAA RESTORE project focusing on Mississippi River and Gulf of Mexico interactions Thesis and dissertation committee




Image: Meteorological data displayed using Google maps, G. Lang. September 2, 2010.



For the fast 10- 15 years, model improvements pretty much focus on improving model physics, processes, increasing spatial resolutions or improving boundary forcing. Each model (atmos, hydrodynamic, wave, hydrology) are run on either loosely coupled or uncoupled mode.

For the next 5-10 years, we plan to apply NOAA's objective of developing and implement an integrated environmental modeling approach.





This team conducts high quality research, not limited to the Great Lakes, but also throughout other geographic regions, such as the Gulf of Mexico and the Arctic.

The research and products we produce are relevant to NOAA's mission and are transitioned to NOAA operational line offices and other decision-making agencies.

Images

Top: Researcher D. Gronewold presentation on Great Lakes water levels at the Thunder Bay National Marine Sanctuary, Alpena, MI.

Bottom: Scientist Anne Clites is interviewed about water levles by Alpena News at Thunder Bay National Marine Sanctury, June 27, 2013.




What do our product users say

- "We look at GLOFS wind, wave, ice forecasts everyday for search and rescue missions (SAR), GLERL's products save lives!" Jerry, USCG 9th District Cleveland Office
- "We regularly check GLOFS forecasts for high/low water levels and waves for all the nuclear power plants operation around the Great Lakes!" Jack, Nuclear Regulatory Commission
- "We use GLOFS water level forecasts to determine how much water to release to Niagara River, accurate forecasts save \$30M/year!" Peter, (NYPA)

17/18

We held a community user outreach meeting for the next generation of GLOFS in last October. For years we know the system and products we produced are very popular for commercial and recreational fishermen, and surfers.

What we did not expect is the heavy users from the above industry!





Continue to develop the increasing important connection to NOAA's National Ocean Service (including CSDL and CO-OPS)

 Continue to develop and communicate complex model forecast results and uncertainty in critical areas related human health and safety

Additional Information

Hold weekly GLOFS conference call between GLERL, CSDL and CO-OPS to discuss status and issues Quarterly meeting with modeling advisory panels and gateway manager to check progress and milestone schedule Biannual face-to-face meeting and workshop at Silver Spring

Integrated modeling approach to predict hypoxia, HABs and other ecological and water quality parameters



Brief History of IPEMF's R2O effort

- 1989: Developed GLFS with OSU
- 1991: First 3-D Lake Erie nowcast on CRAY
- 1992: GLFS workstation version running at GLERL
- 1993: First 3-D forecasts
- 2000: GLFS team won the AMS Special Award
- 2003-2005: Transitioned GLFS to NOS/CO-OPS
- 2016-2021: Next-generation GLOFS being transitioned to NOS/CO-OPS and NWS/NCEP

Additional Information

